Printing date 05.11.2015 Version number 4 Revision: 05.11.2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: HYDROCARBON 2

· Article number: NICAR21

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services,

craftsmen)

- Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture Spotting agent for industrial laundry
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

G.B.M. Elettrochimica s.r.l.

via Fiumicino S. Mauro 120/130 - 47039 Savignano sul Rubicone (FC)

tel. 0541/930058 - Fax 0541/810218

www.gbmprodottichimici.it - E-mail gbm@prodottichimici.it

- · Further information obtainable from: info @gbmprodottichimici.it
- · 1.4 Emergency telephone number:

G.B.M. Elettrochimica srl - Tel. +39 0541 930058 (office hours)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

2-butoxyethanol

C10 PÁRETH - 7

Sale sodico di estere solfonato

2 -ethylhexanol, ethoxylated, phospated

· Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)

Printing date 05.11.2015 Version number 4 Revision: 05.11.2015

Trade name: HYDROCARBON 2

(Contd. of page 1)

· Precautionary statements

P261 Avoid breathing spray.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P404 Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Sale sodico di estere solfonato	15 - 30%
🥎 Eye Dam. 1, H318	1
2-butoxyethanol	15 - 30%
Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
C10 PARETH - 7	15 - 30%
Eye Dam. 1, H318;  Acute Tox. 4, H302	
2 -ethylhexanol, ethoxylated, phospated	5 - 15%
🤣 Eye Dam. 1, H318; 🕦 Skin Irrit. 2, H315	
potassium hydroxide	1 - 2%
Skin Corr. 1A, H314; 🗘 Acute Tox. 4, H302	
ammonia	1 - 2%
Press. Gas D, H280; Skin Corr. 1B, H314; Aquatic Acute 1, H400; STOT SE 3, H335	
	<ul> <li>Eye Dam. 1, H318</li> <li>2-butoxyethanol</li> <li>♠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319</li> <li>C10 PARETH - 7</li> <li>♠ Eye Dam. 1, H318; ♠ Acute Tox. 4, H302</li> <li>2-ethylhexanol, ethoxylated, phospated</li> <li>♠ Eye Dam. 1, H318; ♠ Skin Irrit. 2, H315</li> <li>potassium hydroxide</li> <li>♠ Skin Corr. 1A, H314; ♠ Acute Tox. 4, H302</li> <li>ammonia</li> <li>♠ Press. Gas D. H280; ♠ Skin Corr. 1B, H314;</li> </ul>

· Regulation (EC) No 648/2004 on detergents / Labelling for contents	
anionic surfactants, non-ionic surfactants	15 - 30%

· Additional information: For the wording of the listed risk phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse your mouth well

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Printing date 05.11.2015 Version number 4 Revision: 05.11.2015

Trade name: HYDROCARBON 2

(Contd. of page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: Use to respiratory protection

### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m³, 50 ppm

Long-term value: 123 mg/m³, 25 ppm

Sk, BMGV

#### 1310-58-3 potassium hydroxide

WEL Short-term value: 2 mg/m<sup>3</sup>

· Ingredients with biological limit values:

#### 111-76-2 2-butoxyethanol

(Contd. on page 4)

Printing date 05.11.2015 Version number 4 Revision: 05.11.2015

Trade name: HYDROCARBON 2

(Contd. of page 3)

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Colourless

Odour: Characteristic

Odour threshold: Not determined.

· pH-value: 8

· Change in condition

Melting point/Melting range: Undetermined.

**Boiling point/Boiling range:** 100 °C

· Flash point: Not applicable.

(Contd. on page 5)

Printing date 05.11.2015 Version number 4 Revision: 05.11.2015

Trade name: HYDROCARBON 2

	(Contd. of page
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	1 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Soluble.
· Partition coefficient (n-octanol/wa	nter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

The product is normally supplied in a stabilized form. Avoid excessive heat for long periods of time, the product can polymerize. Avoid heat, flames and other sources of ignition

- 10.5 Incompatible materials: Avoid contact with acids and oxidants.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed or if inhaled.

· LD/LC50 values relevant for classification: 111-76-2 2-butoxyethanol				
		200 - 2000 mg/kg (rat)		
		320 mg/kg (rabbit)		
Dermal	LD50	400 mg/kg (rab)		
		400 - 2000 mg/kg (rat)		
Inhalative	LC50/4 h	3.36 mg/l (mouse)		
		2.21 - 2.39 mg/l (rat)		
			(Contd. on nage	

(Contd. on page 6)

Printing date 05.11.2015 Version number 4 Revision: 05.11.2015

Trade name: HYDROCARBON 2

(Contd. of page 5)

#### 1310-58-3 potassium hydroxide

Oral LD50 270 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 111-76-2 2-butoxyethanol

EC50 835 - 1550 mg/kg (daphnia)

12.2 Persistence and degradability

Easily biodegradable

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

- 12.3 Bioaccumulative potential Not worth-mentioning accumulating in organisms
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water.

### **SECTION 14: Transport information**

- · 14.1 UN-Number
- · ADR, ADN, IMDG, IATA

Void

(Contd. on page 7)

Printing date 05.11.2015 Version number 4 Revision: 05.11.2015

Trade name: HYDROCARBON 2

		(Contd. of page 6
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to An	<b>nex II</b> Not applicable.	
· UN "Model Regulation":	Void	

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This product is to be considered as a preparation according to EU-legislation.

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC)

No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### · Relevant phrases

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

- · Contact: ---
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 8)

(Contd. of page 7)

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.11.2015 Version number 4 Revision: 05.11.2015

Trade name: HYDROCARBON 2

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Press. Gas D: Gases under pressure: Dissolved gas Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1