Printing date 04.04.2014

Version number 1

Revision: 04.04.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: DRY TOUCH SUPER • Article number: NSW7/8 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Detergents \cdot 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: G.B.M. Elettrochimica s.r.l. via Fiumicino S. Mauro 120/130 - 47039 Savignano sul Rubicone (FC) tel. 0541/930058 - Fax 0541/810218 www.gbmprodottichimici.it - E-mail gbm@prodottichimici.it · Further information obtainable from: info@gbmprodottichimici.it · 1.4 Emergency telephone number: G.B.M. ELETTROCHIMICA S.R.L. - Tel. +39 0541 930058 (orari d'ufficio) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant *R41*: Risk of serious damage to eyes. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. · 2.2 Label elements · Labelling according to EU guidelines: The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. · Code letter and hazard designation of product: Xi Irritant · Risk phrases: 41 Risk of serious damage to eyes. · Safety phrases: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 26 After contact with skin, wash immediately with plenty of water. 28 37/39 Wear suitable gloves and eye/face protection. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. (Contd. on page 2) GB

Printing date 04.04.2014

Version number 1

Revision: 04.04.2014

Trade name: DRY TOUCH SUPER

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components	:	
CAS: 69011-36-5	Isotridecanolo etossilato	50 - 70%
CAS: 97338-06-2 EC number: 306-600-1	(2-hydroxyethyl)methylbis(2-(oleoyloxy)ethyl)ammonium methyl sulphate	5 - 15%
CAS: 95009-13-5 EC number: 305-741-6	 1-Propanaminium, 2 hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl, diesters whit vegetable-oil fatty acids,Me sulfates (salts) cationic surfactant Xi R36/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319 	2 - 5%
CAS: 67-63-0 EINECS: 200-661-7	propan-2-ol Xi R36; A F R11 R67 I Flam. Liq. 2, H225; I Eye Irrit. 2, H319; STOT SE 3, H336	2 - 5%
· Regulation (EC) No 64	8/2004 on detergents / Labelling for contents	
non-ionic surfactants		≥ 30%
cationic surfactants		15 - 30%
perfumes (2-(4-tert-Buty	vlbenzyl)propionaldehyde, Linalool, Eugenol)	

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately rinse with water.

Generally the product does not irritate the skin.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- Protective equipment: Use to respiratory protection

(Contd. on page 3)

GB

Printing date 04.04.2014

Version number 1

Revision: 04.04.2014

Trade name: DRY TOUCH SUPER

· Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- \cdot 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. of page 2)

Printing date 04.04.2014

Version number 1

Revision: 04.04.2014

(Contd. of page 3)

Trade name: DRY TOUCH SUPER

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

SECTION 9: 1	Physical and	l chemical p	roperties

General Information		
Appearance:		
Form:	Fluid	
	Gel	
Colour:	Light yellow	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value at 20 °C:	6.5 - 7.5	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	$0.990 \ g/cm^3$	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Emulsifiable.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	3.0 %	
Water:	24.0 %	

GB

Printing date 04.04.2014

Version number 1

Revision: 04.04.2014

(Contd. of page 4)

Trade name: DRY TOUCH SUPER

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

No further relevant information available.

excessive variations in temperature, below 0 $^\circ$ C and above 45 $^\circ$ C

• 10.5 Incompatible materials: Avoid contact with acids and oxidants.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification:

67-63-0 propan-2-ol		
	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

· Primary irritant effect:

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential Not worth-mentioning accumulating in organisms
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Printing date 04.04.2014

Version number 1

Revision: 04.04.2014

Trade name: DRY TOUCH SUPER

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water.

SECTION 14: Transport information	ion	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex MARPOL73/78 and the IBC Code	x II of Not applicable.	
· UN "Model Regulation":	-	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This product is to be considered as a preparation according to EU-legislation. This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- R11 Highly flammable.
- R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.

(Contd. on page 7)

(Contd. of page 5)

GB

Printing date 04.04.2014

Version number 1

Revision: 04.04.2014

Trade name: DRY TOUCH SUPER

	(Contd. of page 6
R41	Risk of serious damage to eyes.
R67	Vapours may cause drowsiness and dizziness.
Conta	
Abbre	eviations and acronyms:
	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriag	ge of Dangerous Goods by Road)
IMDG:	International Maritime Code for Dangerous Goods
IATA: In	International Air Transport Association
GHS: G	Globally Harmonized System of Classification and Labelling of Chemicals
EINECS	S: European Inventory of Existing Commercial Chemical Substances
ELINCS	S: European List of Notified Chemical Substances
CAS: C	Chemical Abstracts Service (division of the American Chemical Society)
LC50: 1	Lethal concentration, 50 percent
LD50: 1	Lethal dose, 50 percent
Flam. L	Liq. 2: Flammable liquids, Hazard Category 2
Skin Irr	rit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dar	m. 1: Serious eye damage/eye irritation, Hazard Category 1
Eye Irri	it. 2: Serious eye damage/eye irritation, Hazard Category 2
STOT S	E 3: Specific target organ toxicity - Single exposure, Hazard Category 3
* Date	a compared to the previous version altered.