
Printing date 25.02.2016

Version number 4

Revision: 25.02.2016



Printing date 25.02.2016

Version number 4

Revision: 25.02.2016

### Trade name: DRY FRESH SUPER

	(Contd. of page 1)
· Precautionary st	atements
P280	Wear eye protection / face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of water.
P404	Store in a closed container.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
· 2.3 Other hazard	5

· Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 68439-46-3	C9-11 Alcohol ethoxylate, 5.5EO	15 - 30%
	🚸 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302	
CAS: 85536-14-7	Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.	5 - 15%
EINECS: 287-494-3	📀 Skin Corr. 1B, H314; 🚸 Acute Tox. 4, H302	
Reg.nr.: 01-2119490234-40-xxxx		
CAS: 31800-88-1	2 -ethylhexanol, ethoxylated, phospated	2 - 5%
	🚸 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315	
	Sale sodico di estere solfonato	2 - 5%
	📀 Eye Dam. 1, H318	
CAS: 67-63-0	propan-2-ol	2 - 5%
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE	
Reg.nr.: 01-2119457558-25-	3, H336	
· Regulation (EC) No 648/2004 of	n detergents / Labelling for contents	
non-ionic surfactants, anionic sur	factants	15 - 30%
perfumes		

· Additional information: For the wording of the listed risk phrases refer to section 16.

## SECTION 4: First aid measures

### · 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Rinse your mouth well
- In case of complaints seek medical advice
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

GB

Printing date 25.02.2016

Version number 4

Revision: 25.02.2016

### Trade name: DRY FRESH SUPER

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- $\cdot$  5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Use to respiratory protection

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:** Absorb liquid components with liquid-binding material. Ensure adequate ventilation.
- 6.4 Reference to other sections
   No dangerous substances are released.
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• **7.1 Precautions for safe handling** You should follow the usual precautions for handling chemical products Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

### 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m<sup>3</sup>, 500 ppm Long-term value: 999 mg/m<sup>3</sup>, 400 ppm

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

(Contd. on page 4)

GB

Printing date 25.02.2016

Version number 4

Revision: 25.02.2016

### Trade name: DRY FRESH SUPER

· Danger of explosion:

Contd. of page 3 Avoid contact with the eyes. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Protection of hands:  The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation Void Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Form: Figure Protection:  Section of the suitable gloves Section of the protective gloves and the material but also on further marks of quality and varies from manufacturer to manufacturer of the protective gloves and has to be observed.  Section:  Penetration time of glove material The exact break rough time has to be found out by the manufacturer of the protective gloves and has to be observed.  Section:  Light yellow Odour: Characteristic Odour: Light yellow Odour: Characteristic Odour threshold: Not determined. Boiling point/Builing range: Undetermined. Boiling point/Builing range: Not applicable.  Flammability (solid, gaseous): Not applicable.  Flammability (solid, gaseous): Not determined. Self-igniting: Product is not selfigniting.		
<ul> <li>Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.</li> <li>Protection of hands:</li> <li>Protection of hands:</li> <li>Protection of hands:</li> <li>Protective gloves</li> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Void</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of gloves material</li> <li>The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection:</li> <li>SECTION 9: Physical and chemical properties</li> <li>General information</li> <li>Appearance:         <ul> <li>Form:</li> <li>Fluid</li> <li>Colour:</li> <li>Light yellow</li> <li>Odour:</li> <li>Characteristic</li> <li>Ocharacteristic</li> <li>Ochar threshold:</li> <li>Not determined.</li> <li>ph-tvalue at 20 °C:</li> <li>6 - 7</li> </ul> </li> <li>Change in condition         <ul> <li>Meeting point/Beiling range:</li> <li>Undetermined.</li> <li>bplivabiling range:</li> <li>Ov °C</li> <li>Flash</li></ul></li></ul>		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Void         Material of gloves         Obstantial of gloves         Material of gloves         Material of gloves         Material of glove         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer on manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Penetration time of glove material         The sealch treak trough time has to be found out by the manufacturer of the protective gloves and has to be observed.         Eye protection:         Sectron 9: Physical and chemical properties         General Information         Appearance:         Form:	Respiratory protection: In case of brief exposure or low pollut exposure use self-contained respirato	
preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation vaid         Vaid         • Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         • Penetration time of glove material         The selections:         • Dip protection:         • Tightly sealed goggles         Section:         • Ordour:         • Appearance:         Form:       Fluid         Colour:       Light yellow         • Odour:       Characteristic         • Odour:       Characteristic         • Odour:       Characteristic         • ph-value at 20 °C:       6 - 7         • Characteristic       Ougent         • point/Mething range:       Undetermined.         • phi-value at 20 °C:       6 - 7         • Characteristic       Solo °C         • Flash point:       Not applicable. <td< td=""><th>Protective gloves</th><td></td></td<>	Protective gloves	
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Void         Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Penetration time of glove material         The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.         Eye protection:         Vig Tightly sealed goggles         SECTION 9: Physical and chemical properties         General Information on basic physical and chemical properties         General Information         Appearance:         Form:       Fluid         Colour:       Light yellow         Odour threshold:       Not determined.         • pH-value at 20 °C:       6 - 7         • Change in condition       Metermined.         Boiling point/Boiling range:       Undetermined.         Boiling point/Boiling range:       Not applicable.         • Flash point:       Not applicable.         • Ignition temperature: <th></th> <td>eable and resistant to the product/ the substance/ the</td>		eable and resistant to the product/ the substance/ the
<ul> <li>Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection: <ul> <li>Tightly sealed goggles</li> </ul> </li> <li>SECTION 9: Physical and chemical properties <ul> <li>General Information</li> <li>Appearance:     <ul> <li>Form:</li> <li>Fluid</li> <li>Colour:</li> <li>Light yellow</li> </ul> </li> <li>Odour: Characteristic</li> <li>Odour threshold: Not determined.</li> <li>pH-value at 20 °C: 6 - 7</li> <li>Change in condition     <ul> <li>Meeting point/Beiling range:</li> <li>Undetermined.</li> </ul> </li> <li>Flash point: Not applicable.</li> <li>Flammability (solid, gaseous): Not applicable.</li> <li>Ignition temperature: Not determined.</li> </ul></li></ul>	Due to missing tests no recommendat preparation/ the chemical mixture. Selection of the glove material on con degradation	
Tightly sealed goggles         SECTION 9: Physical and chemical properties         9.1 Information on basic physical and chemical properties         General Information         Appearance:         Form:       Fluid         Colour:       Light yellow         Odour:       Characteristic         Odour threshold:       Not determined.         • pH-value at 20 °C:       6 - 7         • Change in condition       Undetermined.         Boiling point/Melting range:       100 °C         • Flash point:       Not applicable.         • Flash point:       Not applicable.         • Flash point:       Not applicable.         • Jignition temperature:       Not determined.	The selection of the suitable gloves de of quality and varies from manufacture substances, the resistance of the glov to be checked prior to the application. • <b>Penetration time of glove material</b> The exact break trough time has to be has to be observed.	er to manufacturer. As the product is a preparation of several we material can not be calculated in advance and has therefore
<ul> <li>9.1 Information on basic physical and chemical properties</li> <li>General Information</li> <li>Appearance:         <ul> <li>Form:</li> <li>Fluid</li> <li>Colour:</li> <li>Light yellow</li> </ul> </li> <li>Odour:</li> <li>Odour:</li> <li>Characteristic</li> <li>Odour threshold:</li> <li>Not determined.</li> <li>pH-value at 20 °C:</li> <li>6 - 7</li> <li>Change in condition             <ul></ul></li></ul>		emical properties
· General Information       · Appearance:         · Appearance:       Fluid         · Colour:       Light yellow         · Odour:       Characteristic         · Odour threshold:       Not determined.         · pH-value at 20 °C:       6 - 7         · Change in condition       Undetermined.         Melting point/Melting range:       100 °C         · Flash point:       Not applicable.         · Flammability (solid, gaseous):       Not applicable.         · Ignition temperature:       Not determined.		
Form:FluidColour:Light yellowOdour:CharacteristicOdour threshold:Not determined.• pH-value at 20 °C:6 - 7• Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °CUndetermined.• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Ignition temperature:Not determined.Decomposition temperature:Not determined.		na chemical propentes
Colour:Light yellowOdour:CharacteristicOdour threshold:Not determined.• pH-value at 20 °C:6 - 7• Change in condition Melting point/Melting range: Boiling point/Boiling range:Undetermined. 100 °C• Flash point:Not applicable.• Flash point:Not applicable.• Ignition temperature:Not determined.Decomposition temperature:Not determined.		
Odour:CharacteristicOdour threshold:Not determined.• pH-value at 20 °C:6 - 7• Change in condition Melting point/Melting range:Undetermined.• Boiling point/Melting range:100 °C• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Ignition temperature:Not determined.Decomposition temperature:Not determined.		
· Odour threshold:Not determined.· pH-value at 20 °C:6 - 7· Change in condition Melting point/Melting range:Undetermined. 100 °C· Flash point:Not applicable.· Flash point:Not applicable.· Ignition temperature:Not determined. Not determined.Decomposition temperature:Not determined.		
<ul> <li>Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C</li> <li>Flash point: Not applicable.</li> <li>Flammability (solid, gaseous): Not applicable.</li> <li>Ignition temperature: Not determined.</li> </ul>	· Odour threshold:	Not determined.
Melting point/Melting range:       Undetermined.         Boiling point/Boiling range:       100 °C         · Flash point:       Not applicable.         · Flammability (solid, gaseous):       Not applicable.         · Ignition temperature:       Not determined.         Decomposition temperature:       Not determined.	· pH-value at 20 °C:	6 - 7
Melting point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.100 °CFlash point:Not applicable.Flammability (solid, gaseous):Not applicable.Ignition temperature:Not determined.Decomposition temperature:Not determined.	· Change in condition	
• Flammability (solid, gaseous):       Not applicable.         • Ignition temperature:       Decomposition temperature:         Decomposition temperature:       Not determined.	Melting point/Melting range:	
Ignition temperature:     Decomposition temperature:     Not determined.	· Flash point:	Not applicable.
Decomposition temperature: Not determined.	· Flammability (solid, gaseous):	Not applicable.
	· Ignition temperature:	
· · ·		Not determined
		Not dotominod.

Product does not present an explosion hazard.

(Contd. on page 5) GB

Printing date 25.02.2016

Version number 4

Revision: 25.02.2016

Trade name: DRY FRESH SUPER

		(Contd. of page 4
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
· Density at 20 °C:	1 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Soluble.	
· Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

 Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid

The product is normally supplied in a stabilized form. Avoid excessive heat for long periods of time, the product can polymerize. Avoid heat, flames and other sources of ignition

• 10.5 Incompatible materials: Avoid contact with acids and oxidants.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

### · 11.1 Information on toxicological effects

Acute toxicity
 Harmful if swallowed.

· LD/LC50 values relevant for classification:

68439-46-3 C9-11 Alcohol ethoxylate, 5.5EO

		·····, ····, ····
Oral	LD50	300.1 - 2000 mg/kg (rat)
67-63-0 p	ropan-2-o	1
Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

· Primary irritant effect:

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 25.02.2016

Version number 4

Revision: 25.02.2016

Trade name: DRY FRESH SUPER

(Contd. of page 5)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

### 68439-46-3 C9-11 Alcohol ethoxylate, 5.5EO

EC50 1.1 - 10 mg/kg (daphnia)

- 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential Non significant accumulation in organisms
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents:

Water, if necessary together with cleansing agents. Water.

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	

GB

Printing date 25.02.2016

Version number 4

Revision: 25.02.2016

Trade name: DRY FRESH SUPER

	(Contd. of page
<ul> <li>14.7 Transport in bulk according to Ani of Marpol and the IBC Code</li> </ul>	nex II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This product is to be considered as a preparation according to EU-legislation. This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

· Relevant phrases H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. · Contact: --· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 • \* Data compared to the previous version altered.