Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier · Trade name: SENSO P 1.2 Relevant identified uses of the substance or mixture and uses advised against · Life cycle stages PW Widespread use by professional workers · Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • Product category PC35 Washing and cleaning products (including solvent based products) · Application of the substance / the mixture Dry cleaning reinforce · Uses advised against Any use other than those identified is not recommended. · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: G.B.M. Elettrochimica s.r.l. via Fiumicino S. Mauro 120/130 - 47039 Savignano sul Rubicone (FC) tel. 0541/930058 - Fax 0541/810218 www.gbmprodottichimici.it - E-mail gbm@prodottichimici.it · Further information obtainable from: info@gbmprodottichimici.it · 1.4 Emergency telephone number: Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma) Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Róma) Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli) Centro Antiveleni di Foggia 0881 732326 (CAV Ospedale Univ. - Foggia) Centro Antiveleni di Roma 06 68593726 (CAV Osp. Pediatrico Bambino Gesù - Roma) G.B.M. Elettrochimica srl - Tel. +39 0541 930058 (office hours) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS08 health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2) GB

Printing date 25.05.2018


Version number 1

Revision: 25.05.2018

(Contd. of page 1)

Trade name: SENSO P

· Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labelling:* Idrocarburi C11-12, isoalcani < 2% aromatici

docusate sodium • Hazard statements

H226 Flammable liquid and vapour. H318 Causes serious eye damage. H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves / eye protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331	Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P404	Store in a closed container.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
EC number: 918-167-1	Idrocarburi C11-12, isoalcani < 2% aromatici	80-100%
	🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304	
CAS: 577-11-7	docusate sodium	5-15%
EINECS: 209-406-4	🤣 Eye Dam. 1, H318; 🕔 Skin Irrit. 2, H315	
CAS: 34590-94-8	Dipropylene glycol monomethyl ether	2-5%
EINECS: 252-104-2	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119450011-60		
Additional information, Eq	r the wording of the listed hazard phrases refer to section 1	6

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Rescue workers must wear the protective equipment described in section 8.2 of this safety data sheet.

· After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

(Contd. of page 2)

Trade name: SENSO P

Supply fresh air; consult doctor in case of complaints.	
· After skin contact:	
Immediately remove contaminated clothes	

Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 After swallowing:
- Rinse your mouth well Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** headache, nausea, dizziness Eyes: corrosive, corneal damage, irritation Skin: irritation

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- **5.2 Special hazards arising from the substance or mixture** Under certain fire conditions, traces of other toxic gases cannot be excluded. Carbon monoxide (CO)
- 5.3 Advice for firefighters
- · Protective equipment:

See Section 8 for information on personal protection equipment. Use respiratory protection

See Section 8 for information on personal protection equipment.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.
- **6.3** Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. • **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle. Store in a cool location.

(Contd. on page 4)

GB

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

(Contd. of page 3)

Trade name: SENSO P

- Information about storage in one common storage facility: Store away from foodstuffs.
- Store away from flammable substances. • Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

34590-94-8 Dipropylene glycol monomethyl ether

WEL Long-term value: 308 mg/m³, 50 ppm


Sk

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- **Respiratory protection:** Short term filter device:

Filter A/P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.





Protective gloves

Only use EN 374-3 certified protective gloves against chemical agents. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- Material of gloves
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: $\geq 0.2 \text{ mm}$

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Value for the permeation: Level 2/3
- Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

Trade name: SENSO P

(Contd. of page 4)

SECTION 9: Physical and chemi	
9.1 Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Colour:	Colourless
Odour:	Light Solvent-like
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	≥: 150-220 °C
Flash point:	56 °C
Flammability (solid, gas):	Not applicable.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	0.6 Vol %
Upper:	7 Vol %
Vapour pressure at 20 °C:	0.7 hPa
Density at 20 °C:	0.72 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Slightly soluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

 10.3 Possibility of hazardous reactions Reacts with strong acids and oxidising agents.
 10.4 Conditions to avoid The product is normally supplied in a stabilized form. Avoid excessive heat for long periods of time, the product can polymerize. Avoid heat, flames and other sources of ignition
 10.5 Incompatible metericles. No further relevant information available

10.5 Incompatible materials: No further relevant information available.
 10.6 Hazardous decomposition products:

When heated or in case of fire can release gases and vapors which are dangerous to health. Carbon monoxide and carbon dioxide

(Contd. on page 6)

GB

Version number 1

Revision: 25.05.2018

Trade name: SENSO P

Printing date 25.05.2018

(Contd. of page 5)

	-	<i>r</i> Based on available data, the classification criteria are not met. es relevant for classification:
		oxicity Estimates)
Oral		38,000 mg/kg (rat)
		11-12, isoalcani < 2% aromatici
Oral	1	>5,000 mg/kg (rat) (OECD 403Esposizione 8 h)
Dermal	LD50	>5,000 mg/kg (rat)
		>5,000 mg/kg (rabbit)
-		usate sodium
Oral		1,900 mg/kg (rat)
		propylene glycol monomethyl ether
Oral		5,660 mg/kg (rat)
		9,500 mg/kg (rab)
Skin co Serious Causes Respira CMR ef Germ c Carcino Reprod STOT-s STOT-r Aspirat	orrosio s eye d s seriou atory o ffects (cell mu ogenic luctive single o repeate tion ha	nt effect: n/irritation Based on available data, the classification criteria are not met. lamage/irritation is eye damage. or skin sensitisation Based on available data, the classification criteria are not met. (carcinogenity, mutagenicity and toxicity for reproduction) tagenicity Based on available data, the classification criteria are not met. ity Based on available data, the classification criteria are not met. toxicity Based on available data, the classification criteria are not met. toxicity Based on available data, the classification criteria are not met. et toxicity Based on available data, the classification criteria are not met. et toxicity Based on available data, the classification criteria are not met. et toxicity Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criteria are not met. et aposure Based on available data, the classification criter

12.1 Toxicity
 Aquatic toxicity:

Idrocarburi C11-12, isoalcani < 2% aromatici

- EC50 >1,000 mg/l (algae) (Esposizione 72 h)
 - >1,000 mg/l (daphnia) (Esposzione 48 h)
 - >1,000 mg/l (fish) (Esposzione 96 h)
- NOEC 0.01 mg/l (daphnia) (21 GIORNI)
- · 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential Non significant accumulation in organisms
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

GB

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

Trade name: SENSO P

(Contd. of page 6)

• **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.

· Uncleaned packaging:

· Recommendation:

Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.

SECTION 14: Transport informati	on
· 14.1 UN-Number · ADR, IMDG, IATA	UN3295
· 14.2 UN proper shipping name · ADR · IMDG, IATA	3295 HYDROCARBONS, LIQUID, N.O.S. HYDROCARBONS, LIQUID, N.O.S.
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	<i>III</i>
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Danger code (Kemler): EMS Number: Stowage Category 	Warning: Flammable liquids. 30 F-E,S-D A
 14.7 Transport in bulk according to Ann of Marpol and the IBC Code 	ex II Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
 Transport category Tunnel restriction code 	3 D/E

– GB

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

Trade name: SENSO P

	(Contd. of page 7)
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

aliphatic hydrocarbons	<i>≥</i> 30%
anionic surfactants	≥5 - <15%

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

· Relevant phrases

H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H318 Causes serious eye damage.

Classification according to Regulation (EC) No 1272/2008

As required by Regulation 1272/2008/CE art. 9, the classification of this compound is based on the calculation method taken from the data of the single substances therein and from the experimental data of this compound where available (viewable in sections 9, 11 and 12 in this document). Procedure used for the classification of the mixture

Flam. Liq. 3, H226 - According to experimental data

Asp. Tox. 1, H304 - Calculation method

Eye Dam. 1, H318 - method of calculation

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

GB

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

Trade name: SENSO P

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1 (Contd. of page 8)

GB -