Printing date 08.07.2018 Version number 5 Revision: 08.07.2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: <u>DRY 3</u>Article number: NVS3

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages PW Widespread use by professional workers
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture Spotting agent for industrial laundry
- · Uses advised against Any use other than those identified is not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

G.B.M. Elettrochimica s.r.l.

via Fiumicino S. Mauro 120/130 - 47039 Savignano sul Rubicone (FC)

tel. 0541/930058 - Fax 0541/810218

www.gbmprodottichimici.it - E-mail gbm@prodottichimici.it

- · Further information obtainable from: info @gbmprodottichimici.it
- · 1.4 Emergency telephone number:

G.B.M. Elettrochimica srl - Tel. +39 0541 930058 (office hours)

Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano)

Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia)

Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo)

Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze)

Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma)

Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma)

Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

Centro Antiveleni di Foggia 0881 732326 (CAV Ospedale Univ. - Foggia)

Centro Antiveleni di Roma 06 68593726 (CAV Osp. Pediatrico Bambino Gesù - Roma)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05 GHS07

(Contd. on page 2)

Printing date 08.07.2018 Version number 5 Revision: 08.07.2018

Trade name: DRY 3

(Contd. of page 1)

· Signal word Danger

· Hazard-determining components of labelling:

2-butoxyethanol C10 PARETH - 7

Sale sodico di estere solfonato

2 -ethylhexanol, ethoxylated, phospated

Hazard statements

H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P261 Avoid breathing spray.

P280 Wear protective gloves / eye protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P404 Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 111-76-2	2-butoxyethanol	15-25%
EINECS: 203-905-0 Reg.nr.: 01-2119475108-36-xxxx	<ul><li>Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox.</li><li>4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319</li></ul>	
	C10 PARETH - 7	15-25%
	🧇 Eye Dam. 1, H318; 아 Acute Tox. 4, H302	
	Sale sodico di estere solfonato	15-25%
	🥎 Eye Dam. 1, H318	
CAS: 50-21-5	Lactic acid	2-5%
EINECS: 200-018-0	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 31800-88-1	2 -ethylhexanol, ethoxylated, phospated	2-5%

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information:

Rescue workers must wear the protective equipment described in section 8.2 of this safety data sheet

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing date 08.07.2018 Version number 5 Revision: 08.07.2018

Trade name: DRY 3

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse your mouth well

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment:

See Section 8 for information on personal protection equipment.

See Section 8 for information on personal protection equipment.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

See Section 8 for information on personal protection equipment.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

You should follow the usual precautions for handling chemical products

See Section 8 for information on personal protection equipment.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Printing date 08.07.2018 Version number 5 Revision: 08.07.2018

Trade name: DRY 3

(Contd. of page 3)

#### · 8.1 Control parameters

### Ingredients with limit values that require monitoring at the workplace:

#### 111-76-2 2-butoxyethanol

(F) Object to the Odd

WEL Short-term value: 246 mg/m³, 50 ppm

Long-term value: 123 mg/m³, 25 ppm

Sk, BMGV

#### · DNELs

#### 111-76-2 2-butoxvethanol

111-70-22	2-Duloxyelilarioi	
Oral	Long term, systemic effect	6.3 mg/kg bw/day (general population)
Dermal	Long term, systemic effect	75 mg/kg bw/day (general population)
		125 mg/kg bw/day (professional workers)
Inhalative	Short term, local effect	147 mg/m3 (general population)
		246 mg/m3 (professional workers)
	Short term, systemic effect	426 mg/m3 (general population)
		652 mg/m3 (professional workers)
	Long term, systemic effect	59 mg/m3 (general population)
		98 mg/m3 (professional workers)
	Lungo termine, effetti sistemici	67.5 mg/Kg bw/day (professional workers)

### · PNECs

#### 111-76-2 2-butoxyethanol

PNEC 34.6 mg/kg (fresh water sediments)

3.46 mg/kg (marine water sediments)

2.33 mg/kg (soil)

PNEC 8.8 mg/l (freshwater)

9.1 mg/l (intermittent releases)

0.88 mg/l (marine water)

463 mg/l (sewage treatment plant)

## · Ingredients with biological limit values:

### 111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



Protective gloves

Only use EN 374-3 certified protective gloves against chemical agents.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Printing date 08.07.2018 Version number 5 Revision: 08.07.2018

Trade name: DRY 3

(Contd. of page 4)

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.2 mm

Nitrile rubber, NBR

Neoprene gloves

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level 2/3

Eye protection:



Tightly sealed goggles

# **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Colourless

Odour: Characteristic

Odour threshold: Not determined.

• **pH-value:** 2.5 - 3.5

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100 °C

Flash point: Not applicable.
 Flammability (solid, gas): Not applicable.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· Vapour pressure: Not determined.

Density: Not determined.
Relative density Not determined.
Vapour density Not determined.

· Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Soluble.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

(Contd. on page 6)

Printing date 08.07.2018 Version number 5 Revision: 08.07.2018

Trade name: DRY 3

(Contd. of page 5)

Solvent content:
Organic solvents:

15.0 %

• **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Excessive variations in temperature, below 0 ° C and above 40 ° C
- 10.5 Incompatible materials: Avoid contact with acids and oxidants.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

riairinai ii	omanomoa	•	
· LD/LC50 \	values rele	evant for classification:	
ATE (Acu	ATE (Acute Toxicity Estimates)		
Oral	LD50	1,301 mg/kg	
Dermal	LD50	6,667-13,333 mg/kg (rat)	
Inhalative	LC50/4 h	73.3 mg/l (rat)	
111-76-2 2	2-butoxye	thanol	
Oral	LD50	1,200 mg/kg (mouse)	
		1,776 mg/kg (rat)	
		320 mg/kg (rabbit)	

Dermal	LD50	1,000-2,000 mg/kg (rat)
Inhalative	LC50/4 h	11 mg/l (rat)

**C10 PARETH - 7**Oral LD50

Oral LD50 500 mg/kg (ATE)

- · Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

· Serious eve damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

Printing date 08.07.2018 Version number 5 Revision: 08.07.2018

Trade name: DRY 3

(Contd. of page 6)

- · 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential Non significant accumulation in organisms
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.

- · Uncleaned packaging:
- · Recommendation:

Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.

· Recommended cleansing agents: Water.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to And of Marpol and the IBC Code	nex II Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

Printing date 08.07.2018 Version number 5 Revision: 08.07.2018

Trade name: DRY 3

(Contd. of page 7)

### **SECTION 15: Regulatory information**

# · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This product is to be considered as a preparation according to EU-legislation.

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

Safety data sheet prepared in accordance with Regulation 1907/2006/EC Article 31, Regulation (EU) No 830/2015 as subsequent amendments.

### · Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants, anionic surfactants

≥15 - <30%

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

### Classification according to Regulation (EC) No 1272/2008

As required by Regulation 1272/2008/CE art. 9, the classification of this compound is based on the calculation method taken from the data of the single substances therein and from the experimental data of this compound where available (viewable in sections 9, 11 and 12 in this document).

Procedure used for the classification of the mixture

Acute Tox. 4. H302 - Calculation method

Skin Irrit. 2, H315 - Calculation method

Eye Dam. 1, H318 - method of calculation

Contact: ---

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 9)

Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.07.2018 Version number 5 Revision: 08.07.2018

Trade name: DRY 3

vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. of page 8)