

Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 600

Safety Data Sheet dated 22/12/2023, version 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name:

SOFT LB 600

Trade code:

G13-006

UFI:

A1P0-X0P8-800C-Q351

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Acid descaling detergent. For professional use only.

Products categories: PC35 - washing and cleaning products. This category includes water and solvent based products.

Use at industrial sites (IS). Widespread use by professional workers (PW).

Uses advised against:

Do not use for purposes other than those indicated.

1.3. Details of the supplier of the safety data sheet

Company:

G.B.M. ELETTROCHIMICA s.r.l.

Via Fiumicino San Mauro, 120/130 - 47039 – Savignano Sul Rubicone (FC) Italy

tel +39 0541 930058

e-mail: gbm@gbmprodottichimici.it

web site: www.gbmprodottichimici.it

1.4. Emergency telephone number

+39 0541-930058

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Met. Corr. 1, H290 May be corrosive to metals.

Acute Tox. 4, H302 Harmful if swallowed.

Skin Corr. 1A, H314 Causes severe skin burns and eye damage.

Eye Dam. 1, H318 Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary statements:

Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 600

P264 Wash hands thoroughly with water after handling.
 P280 Wear protective gloves/clothing/Protect eyes/face.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P312 In case of malaise, contact a POISON CENTRE/doctor.
 P390 Absorb spillage to prevent material damage.

Special Provisions:

None

Contains

phosphoric acid ... %, orthophosphoric acid ... %
 Fatty alcohol alkoxylate
 Reaction mass of trisodium 2-(hydroxyphosphinato)succinate and pentasodium 1-(hydroxyphosphinato)butane-1,2,3,4-tetracarboxylate: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

 No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$
Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients
3.1. Substances







N.A.

3.2. Mixtures

Ingredients according to EC Detergents Regulation 648/2004:

 $<5\%$: non-ionic surfactants, phosphonates

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
$\geq 30\%$ - $< 50\%$	phosphoric acid ... %, orthophosphoric acid ... %	Index number: 015-011-00-6 CAS: 7664-38-2 EC: 231-633-2 REACH No.: 01-2119485924-24-XXXX	 3.1/4/Oral Acute Tox. 4 H302  3.2/1B Skin Corr. 1B H314  2.16/1 Met. Corr. 1 H290 Specific Concentration Limits: C $\geq 25\%$: Skin Corr. 1B H314 $10\% \leq C < 25\%$: Skin Irrit. 2 H315 $10\% \leq C < 25\%$: Eye Irrit. 2 H319
$\geq 1\%$ - $< 5\%$	Fatty alcohol alkoxylate		 3.1/4/Oral Acute Tox. 4 H302  3.3/2 Eye Irrit. 2 H319
$\geq 0.1\%$ - $< 0.25\%$	Reaction mass of trisodium 2-(hydroxyphosphinato)succinate and	EC: 701-079-0 REACH No.: 01-2120227654-56-0000	 3.4.2/1B Skin Sens. 1B H317

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) -
SOFT LB 600**

	pentasodium 1-(hydroxyphosphinato)butane-1,2,3,4-tetracarboxylate		
--	---	--	--

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

- Immediately take off all contaminated clothing.
- OBTAIN IMMEDIATE MEDICAL ATTENTION.
- Remove contaminated clothing immediately and dispose off safely.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

In case of Ingestion:

- Do NOT induce vomiting.
- Give nothing to eat or drink.

In case of Inhalation:

- Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

- Water.
- Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

- Do not inhale explosion and combustion gases.
- Burning produces heavy smoke.

5.3. Advice for firefighters

- Use suitable breathing apparatus .
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- Wear personal protection equipment.
- Remove persons to safety.
- See protective measures under point 7 and 8.

6.2. Environmental precautions

Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 600

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store the product only in its original closed containers, in a cool, dry and well-ventilated areas at temperatures below 0 °C and not higher than 40 °C.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

phosphoric acid ... %, orthophosphoric acid ... % - CAS: 7664-38-2

UE - TWA(8h): 1 mg/m³ - STEL: 2 mg/m³

ACGIH - TWA(8h): 1 mg/m³ - STEL: 3 mg/m³ - Notes: N.A.

DNEL Exposure Limit Values

phosphoric acid ... %, orthophosphoric acid ... % - CAS: 7664-38-2

Worker Professional: 2 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects - Notes: ECHA

Worker Professional: 1 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects - Endpoint: Repeated dose toxicity - Notes: ECHA

Consumer: 0.36 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects - Endpoint: Corrosion/skin irritation - Notes: ECHA

Consumer: 4.57 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

Consumer: 0.1 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term, systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

Worker Professional: 10.7 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Endpoint: Repeated dose toxicity - Notes: ECHA

Reaction mass of trisodium 2-(hydroxyphosphinato)succinate and pentasodium 1-(hydroxyphosphinato)butane-1,2,3,4-tetracarboxylate

Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 600

Worker Professional: 10 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

PNEC Exposure Limit Values

Reaction mass of trisodium 2-(hydroxyphosphinato)succinate and pentasodium 1-(hydroxyphosphinato)butane-1,2,3,4-tetracarboxylate

Target: Fresh Water - Value: 2 mg/l

Target: Marine water - Value: 0.2 mg/l

Target: Freshwater sediments - Value: 18.98 mg/kg

Target: Marine water sediments - Value: 1.9 mg/kg

Target: Soil (agricultural) - Value: 2.6 mg/kg

8.2. Exposure controls
Eye protection:

Basket eye glasses.

Protection for skin:

Chemical protection clothing.

Protection for hands:

Use protective gloves resistant to chemicals. The choice of hand PPE must be made on the basis of its better resistance to chemical agents, taking into account the results of tests obtained in accordance with EN 374. Because of the great diversity of types, you should follow the instructions of the manufacturers. Suitable materials for short contact (recommended: at least protection index 2, corresponding to > 30 minutes permeation time according to EN 374). Butyl rubber - 0.7 mm thick. Suitable materials for direct and prolonged contact (recommended: protection index 6, corresponding > 460 minutes of permeation time according to EN 374) nitro-caoutchouc (NBR) - 0.4 mm thick.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid	--	--
Colour:	Colourless	--	--
Odour:	CHARACTERISTIC	--	--
Melting point/freezing point:	N.A.	--	--
Boiling point or initial boiling point and boiling range:	N.A.	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point:	NOT FLAMMABLE ° C	--	--
Auto-ignition temperature:	NOT AUTO FLAMMABLE	--	--

Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 600

Decomposition temperature:	N.A.	--	--
pH:	1	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	COMPLETE	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	N.A.	--	--
Density and/or relative density:	1.24 ± 0.05 kg/l	--	--
Relative vapour density:	N.A.	--	--

Particle characteristics:

Particle size:	N.A.	--	--
----------------	------	----	----

9.2. Other information

Properties	Value	Method:	Notes
Explosive properties:	ABSENT	--	--
Miscibility:	MISCIBLE	--	--
Oxidizing properties:	ABSENT	--	--

SECTION 10: Stability and reactivity
10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

The product is stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions
10.4. Conditions to avoid

The product has an acid reaction, reacts energetically with strong bases.

10.5. Incompatible materials

Avoid contact with alkaline substances, strong oxidants.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, are not known hazardous decomposition products.

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

SOFT LB 600

a) acute toxicity

The product is classified: Acute Tox. 4 H302

ATEmix - Oral 1169,59 mg/kg bw

b) skin corrosion/irritation

The product is classified: Skin Corr. 1A H314

c) serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

d) respiratory or skin sensitisation

Not classified

No data available for the product

e) germ cell mutagenicity

Not classified

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) -
SOFT LB 600**

- No data available for the product
- f) carcinogenicity
Not classified
No data available for the product
 - g) reproductive toxicity
Not classified
No data available for the product
 - h) STOT-single exposure
Not classified
No data available for the product
 - i) STOT-repeated exposure
Not classified
No data available for the product
 - j) aspiration hazard
Not classified
No data available for the product
- Toxicological information of the main substances found in the product:
phosphoric acid ... %, orthophosphoric acid ... % - CAS: 7664-38-2
- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 300-2000 mg/kg bw - Source: SDS
 - b) skin corrosion/irritation:
Test: Skin Corrosive Yes - Source: SDS - Causes severe skin burns
 - c) serious eye damage/irritation:
Test: Eye Corrosive Yes - Source: SDS - Causes serious eye damage
 - g) reproductive toxicity:
Test: Development - Route: Oral - Species: Mouse = 370 mg/kg di b.w./day - Source: ECHA - No observed adverse effects
 - i) STOT-repeated exposure:
Test: LOAEL - Route: Oral - Species: Rat = 155 mg/kg di b.w./day - Source: ECHA -
Notes: Subchronic toxicity - Adverse effects observed
- Fatty alcohol alkoxyolate
- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat range 300-2000 mg/kg - Source: OECD TG 423
 - b) skin corrosion/irritation:
Test: Skin Irritant - Species: Rabbit - Source: OECD TG 404 - No irritation of the skin
 - c) serious eye damage/irritation:
Test: Eye Irritant - Species: Rabbit - Source: OECD TG 405 - Causes severe eye irritation
- Reaction mass of trisodium 2-(hydroxyphosphinato)succinate and pentasodium 1-(hydroxyphosphinato)butane-1,2,3,4-tetracarboxylate
- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg
 - d) respiratory or skin sensitisation:
Test: Skin Sensitization - Route: Skin - Species: Guinea pig Positive
- 11.2. Information on other hazards
Endocrine disrupting properties:
No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) -
SOFT LB 600**

Adopt good working practices, so that the product is not released into the environment.

SOFT LB 600

Not classified for environmental hazards

Based on available data, the classification criteria are not met

phosphoric acid ... %, orthophosphoric acid ... % - CAS: 7664-38-2

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Crustaceans > 100 mg/l - Duration h: 48 - Notes: Daphnia magna; OECD TG 202

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus; static test; OECD TG 201

Endpoint: LC50 - Species: Fish = 138 mg/l - Duration h: 96 - Notes: Mosquitofish

Fatty alcohol alkoxyate

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish range 10-100 mg/l - Duration h: 96 - Notes: Brachydanio rerio - OECD 203; ISO 7346; 84/449/CEE, C.1

Endpoint: EC50 - Species: Daphnia range 10-100 mg/l - Duration h: 48 - Notes: Daphnia magna - OECD - Guideline 202, Part 1

Endpoint: EC50 - Species: Plantas acuáticas range 10-100 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus (growth rate) - OECD - Guideline 201 - Acute effects

b) Aquatic chronic toxicity:

Endpoint: EC10 - Species: Plantas acuáticas > 1 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus (growth rate) - OECD - Guideline 201 - Long-term effects

c) Bacteria toxicity:

Endpoint: EC50 - Species: Micro-organisms/Effects on activated sludge > 1000 mg/l - Duration h: 0.5 - Notes: Activated sludge, domestic (OECD - Guideline 209, aerobic)

Reaction mass of trisodium 2-(hydroxyphosphinato)succinate and pentasodium 1-(hydroxyphosphinato)butane-1,2,3,4-tetracarboxylate

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96

Endpoint: EC50 - Species: Crustaceans > 1000 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72

Endpoint: EC50 - Species: Activated sludge > 1000 mg/l - Duration h: 3

b) Aquatic chronic toxicity:

Endpoint: NOEC (21d) - Species: Algae = 100 mg/l

12.2. Persistence and degradability

None

SOFT LB 600

Biodegradability: The product contains only readily biodegradable surfactants meet the criteria laid down in Regulation detergents EU (EC/648/2004).

phosphoric acid ... %, orthophosphoric acid ... % - CAS: 7664-38-2

Biodegradability: Not applicable (inorganic substance)

Fatty alcohol alkoxyate

Biodegradability: Readily biodegradable

12.3. Bioaccumulative potential

phosphoric acid ... %, orthophosphoric acid ... % - CAS: 7664-38-2

Bioaccumulation: Not bioaccumulative - Notes: This substance is highly soluble and dissociates in water. Phosphoric acid dissociates in water in the H₃O⁺, H₂PO₄⁻, HPO₄²⁻ ions that are present in the environment. Phosphoric acid is absorbed in the form of phosphate anions. This anion is an essent

Fatty alcohol alkoxyate

Bioaccumulation: Accumulation in organisms should not be expected

Reaction mass of trisodium 2-(hydroxyphosphinato)succinate and pentasodium 1-(hydroxyphosphinato)butane-1,2,3,4-tetracarboxylate

Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 600

Bioaccumulation: Not bioaccumulative - Test: Kow - Partition coefficient -2.98

12.4. Mobility in soil

phosphoric acid ... %, orthophosphoric acid ... % - CAS: 7664-38-2

Mobility in soil: This substance is highly soluble and dissociates in water. - Notes: When scattered on the ground, phosphoric acid will seep down and will be partly neutralized by melting some of the soil materials. When the Earth's plate is reached, the phosphoric acid will disperse and be diluted. Therefore, the environmental asses

Fatty alcohol alkoxyolate

Mobility in soil: Volatility: The substance does not evaporate into the atmosphere from the water surface.

Mobility in soil: Adsorption in soil: adsorption to the solid phase of the soil is possible.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

ADR-UN number: 1805

RID-UN Number: 1805

ADN-UN Number: 1805

IATA-Un number: 1805

IMDG-Un number: 1805

14.2. UN proper shipping name

ADR-Shipping Name: Phosphoric acid in solution

IATA-Shipping Name: Phosphoric acid solution

IMDG-Shipping Name: Phosphoric acid solution

N.A.

14.3. Transport hazard class(es)

ADR-Class: 8

ADR-Label: 8

ADR - Hazard identification number: 80

RID-Class: 8

ADN-Class: 8

IATA-Class: 8

IATA-Label: 8

IMDG-Class: 8

N.A.

14.4. Packing group

RID-Packing Group: III

ADN-Packing Group: III

ADR-Packing Group: III

IATA-Packing group: III

IMDG-Packing group: III

N.A.

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) -
SOFT LB 600**

- 14.5. Environmental hazards
Marine pollutant: No
IMDG-EMS: F,A-S,B
ADN-Environmentally hazardous in tank-vessels:
N.A.
- 14.6. Special precautions for user
ADR-Transport category (Tunnel restriction code): E
IMDG-Shipping Name: Phosphoric acid solution
N.A.
- 14.7. Maritime transport in bulk according to IMO instruments
N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 2020/878
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)
Regulation (EU) n. 2021/849 (ATP 17 CLP)
Regulation (EU) n. 2022/692 (ATP 18 CLP)
- Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
Restrictions related to the product:
Restriction 3
Restrictions related to the substances contained:
Restriction 75
- Where applicable, refer to the following regulatory provisions :
Directive 2012/18/EU (Seveso III)
Regulation (EC) nr 648/2004 (detergents).
Dir. 2004/42/EC (VOC directive)
- Provisions related to directive EU 2012/18 (Seveso III):
Seveso III category according to Annex 1, part 1
None
- 15.2. Chemical safety assessment

Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) - SOFT LB 600

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H290 May be corrosive to metals.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Met. Corr. 1, H290	On basis of test data
Acute Tox. 4, H302	Calculation method
Skin Corr. 1A, H314	Calculation method
Eye Dam. 1, H318	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

- ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
- SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- ATE: Acute Toxicity Estimate
- ATEmix: Acute toxicity Estimate (Mixtures)
- CAS: Chemical Abstracts Service (division of the American Chemical Society).
- CLP: Classification, Labeling, Packaging.
- DNEL: Derived No Effect Level.



PRODOTTI PER LAVANDERIE

**Safety Data Sheet according to Reg. (EC) n.1907/2006 (REACH) -
SOFT LB 600**

EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.