

Safety Data Sheet dated 6/9/2022, version 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: SOFT LB 2 SUPER

Trade code: G13-003

UFI: 0KF2-E083-E00H-QY5S

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Concentrated liquid detergent for industrial dishwashers. For professional use only.

Products categories: PC35 - washing and cleaning products. This category includes water and solvent based products.

Use at industrial sites (IS). Widespread use by professional workers (PW).

Uses advised against:

Do not use for purposes other than those indicated.

1.3. Details of the supplier of the safety data sheet

Company:

G.B.M. ELETTROCHIMICA s.r.l.

Via Fiumicino San Mauro, 120/130 - 47039 – Savignano Sul Rubicone (FC) Italy

tel +39 0541 930058

e-mail: <u>gbm@gbmprodottichimici.it</u> web site: <u>www.gbmprodottichimici.it</u>

1.4. Emergency telephone number

+39 0541 930058

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Met. Corr. 1, H290 May be corrosive to metals.

Skin Corr. 1A, H314 Causes severe skin burns and eye damage.

Eye Dam. 1, H318 Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear protective gloves/clothing/Protect eyes/face.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 In case of malaise, contact a POISON CENTRE/doctor.



P390 Absorb spillage to prevent material damage.

P501.A Dispose of contents/container in accordance with applicable national and international regulations.

**Special Provisions:** 

None

Contains

sodium hydroxide; caustic soda

tetrasodium ethylene diamine tetraacetate potassium hydroxide; caustic potash

Etidronic acid

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards:

No other hazards

### **SECTION 3: Composition/information on ingredients**

3.1. Substances

N.A.

3.2. Mixtures

Ingredients according to EC Detergents Regulation 648/2004:

<5%: polycarboxylates, phosphonates.

5-15%: EDTA tetrasodium salt.

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 10% - < 20%	sodium hydroxide; caustic soda	Index number: CAS: 1310-73-2 EC: 215-185-5 REACH No.: 01- 2119457892- 27-XXXX	<ul> <li>♦ 2.16/1 Met. Corr. 1 H290</li> <li>♦ 3.2/1A Skin Corr. 1A H314</li> <li>♦ 3.3/1 Eye Dam. 1 H318</li> </ul>
>= 5% - < 10%	tetrasodium ethylene diamine tetraacetate	Index number: 607-428-00-2 number: CAS: 64-02-8 EC: 200-573-9 REACH No.: 01-2119486762-27-XXXX	<ul> <li>         \$\displaystyle{\psi}\$ 3.1/4/Inhal Acute Tox. 4 H332</li> <li>         \$\displaystyle{\psi}\$ 3.3/1 Eye Dam. 1 H318</li> <li>         \$\displaystyle{\psi}\$ 3.1/4/Oral Acute Tox. 4 H302</li> <li>         \$\displaystyle{\psi}\$ 3.9/2 STOT RE 2 H373</li> </ul>
>= 5% - < 10%	potassium hydroxide; caustic potash	Index number:  CAS: 1310-58-3  EC: 215-181-3  REACH No.: 01- 2119487136- 33-XXXX	3.2/1A Skin Corr. 1A H314 3.3/1 Eye Dam. 1 H318 3.1/4/Oral Acute Tox. 4 H302



	DE GOT EX			H314 0,5% <= C < 2%: Skin Irrit. 2 H315
				0,5% <= C < 2%: Eye Irrit. 2 H319
>= 1% - < 5%	Etidronic acid	EC: 22 REACH No.: 01 21	809-21-4 20-552-8 - 19510391- 3-XXXX	2.16/1 Met. Corr. 1 H290 3.1/4/Oral Acute Tox. 4 H302 3.3/1 Eye Dam. 1 H318
>= 0.1% - < 0.25%	trisodium nitrilotriacetate	number: CAS: 50	07-620-00-6 064-31-3 25-768-6	<ul> <li>♣ 3.6/2 Carc. 2 H351</li> <li>♠ 3.3/2 Eye Irrit. 2 H319</li> <li>♠ 3.1/4/Oral Acute Tox. 4 H302</li> <li>Specific Concentration Limits:</li> <li>C &gt;= 5%: Carc. 2 H351</li> </ul>

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.



Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store the product only in its original closed containers, in a cool, dry and well-ventilated areas at temperatures below 0 °C and not higher than 40 °C.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

sodium hydroxide; caustic soda - CAS: 1310-73-2

ACGIH - STEL: Ceiling 2 mg/m3 - Notes: N.A.

potassium hydroxide; caustic potash - CAS: 1310-58-3

ACGIH - STEL: Ceiling 2 mg/m3 - Notes: N.A.

**DNEL Exposure Limit Values** 

sodium hydroxide; caustic soda - CAS: 1310-73-2

Consumer: 1 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term (repeated) Worker Professional: 1 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term (repeated)

tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8

Worker Professional: 1.5 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term,



systemic effects

Etidronic acid - CAS: 2809-21-4

Consumer: 1.7 mg/kg b.w./day - Exposure: Human Oral - Frequency: Long Term,

systemic effects

Consumer: 1.7 mg/kg b.w./day - Exposure: Human Oral - Frequency: Short Term,

systemic effects

Consumer: 2.95 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic

effects

Consumer: 17 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long Term,

systemic effects

Worker Professional: 12 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term,

systemic effects

Worker Professional: 34 mg/kg b.w./day - Exposure: Human Dermal - Frequency: Long

Term, systemic effects

**PNEC Exposure Limit Values** 

tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8

Target: Fresh Water - Value: 2.86 mg/l Target: Marine water - Value: 0.286 mg/l Target: Intermittent release - Value: 1.56 mg/l Target: Soil - Value: 0.937 mg/kg dry weight

Target: Sewage treatment plant - Value: 55.94 mg/l

Etidronic acid - CAS: 2809-21-4

Target: Fresh Water - Value: 0.068 mg/l Target: Marine water - Value: 0.007 mg/l

Target: Freshwater sediments - Value: 136 mg/kg dry weight Target: Marine water sediments - Value: 13.6 mg/kg dry weight

Target: Soil - Value: 10 mg/kg dry weight
Target: Secondary poisoning - Value: 3.7 g/kg
Target: Sewage treatment plant - Value: 40 mg/l

8.2. Exposure controls

Eye protection:

Eye glasses.

Protection for skin:

Chemical protection clothing.

Protection for hands:

Use protective gloves resistant to chemicals. The choice of hand PPE must be made on the basis of its better resistance to chemical agents, taking into account the results of tests obtained in accordance with EN 374 Because of the great diversity of types, you should follow the instructions of the manufacturers. Suitable materials for short contact (recommended: at least protection index 2, corresponding to> 30 minutes permeation time according to EN 374). Butyl rubber - 0.7 mm thick. Suitable materials for direct and prolonged contact (recommended: protection index 6, corresponding> 460 minutes of permeation time according to EN 374) nitrocaoutchouc (NBR) - 0.4 mm thick.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties



Properties	Value	Method:	Notes	
Physical state:	Liquid			
Colour:	straw yellow			
Odour:	CHARACTER ISTIC			
Melting point/freezing point:	N.A.			
Boiling point or initial boiling point and boiling range:	N.A.			
Flammability:	N.A.			
Lower and upper explosion limit:	N.A.			
Flash point:	NOT FLAMMABLE ° C			
Auto-ignition temperature:	NOT AUTO FLAMABLE			
Decomposition temperature:	N.A.			
pH:	14			
Kinematic viscosity:	N.A.			
Solubility in water:	COMPLETE			
Solubility in oil:	INSOLUBLE			
Partition coefficient n- octanol/water (log value):	N.A.			
Vapour pressure:	N.A.			
Density and/or relative density:	1.24 ± 0.05 kg/l			
Relative vapour density:	N.A.			
	Particle characteristics:			

Particle cize:	NΑ	
l Particle size:	I IN.A.	 <del></del>

### 9.2. Other information

Properties	Value	Method:	Notes
Explosive properties:	ABSENT	-	1
Miscibility:	MISCIBLE	-	1
Oxidizing properties:	ABSENT	-	1

# **SECTION 10: Stability and reactivity**

10.1. Reactivity

Reacts with acid substances.

10.2. Chemical stability

The product is stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions

It may generate flammable gases on contact with halogenated organic substances, and elementary metals.

10.4. Conditions to avoid

Avoid contact with acids.

10.5. Incompatible materials

Do not mix with acids, oxidizing and / or reducing agents. Aluminum, light metals.



Avoid contact with strong oxidizing and reducing agents, strong acids and bases

10.6. Hazardous decomposition products

Under normal conditions of storage and use, are not known hazardous decomposition products.

### **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:

SPECIALIST LV 200 S

a) acute toxicity

Not classified

No data available for the product

b) skin corrosion/irritation

The product is classified: Skin Corr. 1A H314

c) serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

d) respiratory or skin sensitisation

Not classified

No data available for the product

e) germ cell mutagenicity

Not classified

No data available for the product

f) carcinogenicity

Not classified

No data available for the product

g) reproductive toxicity

Not classified

No data available for the product

h) STOT-single exposure

Not classified

No data available for the product

i) STOT-repeated exposure

Not classified

No data available for the product

j) aspiration hazard

Not classified

No data available for the product

Toxicological information of the main substances found in the product:

sodium hydroxide; caustic soda - CAS: 1310-73-2

b) skin corrosion/irritation:

Test: Skin Corrosive Yes - Causes severe skin burns

c) serious eye damage/irritation:

Test: Eye Corrosive Yes - Causes serious eye damage

tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 1-5 mg/l - Duration: 4h - Source: N.A.

Test: LD50 - Route: Oral - Species: Rat = 1780 mg/kg bw - Source: N.A.

Test: Skin Irritant - Species: Rabbit Negative - Source: N.A. - No irritation of the skin

Test: Eye Irritant - Species: Rabbit Positive - Source: N.A. - Causes eye irritation

d) respiratory or skin sensitisation:

Test: Maximisation Test - Route: Skin - Species: Guinea pig Negative - Source: N.A. - Not sensitizing

e) germ cell mutagenicity:

Test: In vitro genotoxicity Negative - Source: N.A.

Test: In vivo genotoxicity - Species: Mouse Negative - Source: N.A.



f) carcinogenicity:

Route: Oral - Species: Rat Negative - Source: N.A.

g) reproductive toxicity:

Test: NOAEL - Species: Rat > 250 mg/kg bw - Source: N.A.

h) STOT-single exposure:

Based on available data, the classification criteria are not met

i) STOT-repeated exposure:

Route: Inhalation Positive

i) aspiration hazard:

potassium hydroxide; caustic potash - CAS: 1310-58-3

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 333 mg/kg

Etidronic acid - CAS: 2809-21-4

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit > 7940 mg/kg bw Test: LD50 - Route: Oral - Species: Rabbit = 1100 mg/kg bw

#### 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

### **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. SPECIALIST LV 200 S

Not classified for environmental hazards

Based on available data, the classification criteria are not met

sodium hydroxide; caustic soda - CAS: 1310-73-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 2 180 mg/l - Duration h: 48

Endpoint: EC50 - Species: Daphnia = 40.4 mg/l - Duration h: 48

tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 140 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC (35d) - Species: Fish > 25.7 mg/l

Endpoint: NOEC (21d) - Species: Daphnia > 25 mg/l

potassium hydroxide; caustic potash - CAS: 1310-58-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 80 mg/l - Duration h: 96

Etidronic acid - CAS: 2809-21-4

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 527 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 7.2 mg/l - Duration h: 96

Endpoint: LC50 - Species: Fish = 368 mg/l - Duration h: 96

12.2. Persistence and degradability

None

SPECIALIST LV 200 S

 $\label{lem:biodegradability: The formulation does not contain surfactants. \\$ 

The organic substances are eliminated in normal wastewater treatment plants.

tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8

Biodegradability: Non-readily biodegradable



Etidronic acid - CAS: 2809-21-4

Biodegradability: Non-readily biodegradable

12.3. Bioaccumulative potential

tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8 Bioaccumulation: Low potential for bioaccumulation

12.4. Mobility in soil

tetrasodium ethylene diamine tetraacetate - CAS: 64-02-8

Mobility in soil: Absorption by solid soil particles is not expected

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

None

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

### **SECTION 14: Transport information**

14.1. UN number or ID number

 ADR-UN number:
 3266

 RID-UN Number:
 3266

 ADN-UN Number:
 3266

 IATA-Un number:
 3266

 IMDG-Un number:
 3266

14.2. UN proper shipping name

ADR-Shipping Name: Basic corrosive inorganic liquid, N.O.S. (miscela contenente

idrossido di sodium)

IATA-Technical name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium

hydroxide solution)

IMDG-Technical name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium

hydroxide solution)

14.3. Transport hazard class(es)

ADR-Class: 8
ADR-Label: 8

ADR - Hazard identification number: 80

 RID-Class:
 8

 ADN-Class:
 8

 IATA-Class:
 8

 IATA-Label:
 8

 IMDG-Class:
 8

14.4. Packing group

RID-Packing Group: III
ADN-Packing Group: III
ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III

14.5. Environmental hazards

Marine pollutant: No IMDG-EMS: F,A-S,B

14.6. Special precautions for user

ADR-Transport category (Tunnel restriction code):



IMDG-Technical name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium

hydroxide solution)

14.7. Maritime transport in bulk according to IMO instruments

N.A.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 75

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.



H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Carc. 2	3.6/2	Carcinogenicity, Category 2
STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Met. Corr. 1, H290	On basis of test data
Skin Corr. 1A, H314	Calculation method
Eye Dam. 1, H318	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.



IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.