

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- **Trade name: SENSO F**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Life cycle stages PW** Widespread use by professional workers
- **Sector of Use**
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category PC35** Washing and cleaning products (including solvent based products)
- **Application of the substance / the mixture** Textile softener
- **Uses advised against** Any use other than those identified is not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
G.B.M. Elettrochimica s.r.l.
via Fiumicino S. Mauro 120/130 - 47039 Savignano sul Rubicone (FC)
tel. 0541/930058 - Fax 0541/810218
www.gbmprodottichimici.it - E-mail gbm@prodottichimici.it
- **Further information obtainable from:** info@gbmprodottichimici.it
- **1.4 Emergency telephone number:**
Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano)
Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia)
Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo)
Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze)
Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma)
Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma)
Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)
Centro Antiveleni di Foggia 0881 732326 (CAV Ospedale Univ. - Foggia)
Centro Antiveleni di Roma 06 68593726 (CAV Osp. Pediatrico Bambino Gesù - Roma)
G.B.M. Elettrochimica srl - Tel. +39 0541 930058 (office hours)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
- **Precautionary statements**
P280 Wear protective gloves / face protection.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

Trade name: SENSO F

(Contd. of page 1)

P302+P352 *IF ON SKIN: Wash with plenty of water.*
 P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
 P337+P313 *If eye irritation persists: Get medical advice/attention.*
 P404 *Store in a closed container.*
 P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	60-80%
CAS: 111-76-2 EINECS: 203-905-0 Reg.nr.: 01-2119475108-36-xxxx	2-butoxyethanol ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	15-25%
EC number: 931-216-1 Reg.nr.: 01-2119472309-33-xxxx	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	15-25%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Rescue workers must wear the protective equipment described in section 8.2 of this safety data sheet.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse your mouth well
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
Eyes: irritation
Skin: irritation
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None in particular
- **5.2 Special hazards arising from the substance or mixture**
Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

Trade name: SENSO F

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:**
No special measures required.
See Section 8 for information on personal protection equipment.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
You should follow the usual precautions for handling chemical products
Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

34590-94-8 Dipropylene glycol monomethyl ether

WEL	Long-term value: 308 mg/m ³ , 50 ppm
	Sk

111-76-2 2-butoxyethanol

WEL	Short-term value: 246 mg/m ³ , 50 ppm
	Long-term value: 123 mg/m ³ , 25 ppm
	Sk, BMGV

- **DNELs**

111-76-2 2-butoxyethanol

Oral	Long term, systemic effect	6.3 mg/kg bw/day (general population)
Dermal	Long term, systemic effect	75 mg/kg bw/day (general population)
		125 mg/kg bw/day (professional workers)
Inhalative	Short term, local effect	147 mg/m ³ (general population)
		246 mg/m ³ (professional workers)
	Short term, systemic effect	426 mg/m ³ (general population)
		652 mg/m ³ (professional workers)

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

Trade name: SENSO F

(Contd. of page 3)

	Long term, systemic effect	59 mg/m ³ (general population) 98 mg/m ³ (professional workers)
	Lungo termine, effetti sistemici	67.5 mg/Kg bw/day (professional workers)
Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		
Oral	Long term, systemic effect	75 mg/kg bw/day (general population) 312.5 mg/kg bw/day (professional workers)
Dermal	Long term, systemic effect	187.5 mg/kg bw/day (general population)
Inhalative	Lungo termine, effetti sistemici	13 mg/Kg bw/day (general population) 44 mg/Kg bw/day (professional workers)

· **PNECs****111-76-2 2-butoxyethanol**

PNEC	34.6 mg/kg (fresh water sediments) 3.46 mg/kg (marine water sediments) 2.33 mg/kg (soil)
PNEC	8.8 mg/l (freshwater) 9.1 mg/l (intermittent releases) 0.88 mg/l (marine water) 463 mg/l (sewage treatment plant)

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized

PNEC	0.115 mg/kg (fresh water sediments)
PNEC	0.00191 mg/l (freshwater) 0.0191 mg/l (intermittent releases) 0.000191 mg/l (marine water)

· **Ingredients with biological limit values:****111-76-2 2-butoxyethanol**

BMGV	240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid
------	---

· **Additional information:** The lists valid during the making were used as basis.· **8.2 Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:** Not necessary if room is well-ventilated.· **Protection of hands:**

Protective gloves

Only use EN 374-3 certified protective gloves against chemical agents.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.2 mm

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

Trade name: SENSO F

(Contd. of page 4)

Nitrile rubber, NBR

Neoprene gloves

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level 2/3

- **Eye protection:**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Liquid
Colour:	Yellowish
Odour:	Solvent-like
Odour threshold:	Not determined.

- **pH-value:** Not determined.

- **Change in condition**

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	>100 °C

- **Flash point:** Not applicable.

- **Flammability (solid, gas):** Not applicable.

- **Auto-ignition temperature:** Product is not selfigniting.

- **Explosive properties:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

- **Vapour pressure at 20 °C:** 1.2 hPa

- **Density at 20 °C:** 0.95 g/cm³

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with water:**

Soluble.

- **Partition coefficient: n-octanol/water:** Not determined.

- **Viscosity:**

- **Dynamic:** Not determined.

- **Kinematic:** Not determined.

- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

Trade name: SENSO F

(Contd. of page 5)

- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid**
Excessive variations in temperature, below 0 ° C and above 40 ° C
excessive variations in temperature, below 0 ° C and above 45 ° C
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	2,133 mg/kg (rabbit)
Dermal	LD50	6,667-13,333 mg/kg (rat)
Inhalative	LC50/4 h	73.3 mg/l (rat)

34590-94-8 Dipropylene glycol monomethyl ether

Oral	LD50	5,660 mg/kg (rat)
Dermal	LD50	9,500 mg/kg (rab)

111-76-2 2-butoxyethanol

Oral	LD50	1,200 mg/kg (mouse)
		1,776 mg/kg (rat)
		320 mg/kg (rabbit)
Dermal	LD50	1,000-2,000 mg/kg (rat)
Inhalative	LC50/4 h	11 mg/l (rat)

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized

Oral	LD50	>2,000 mg/kg (rat)
------	------	--------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized

CL50	1.91 mg/l (fish) (Esposizione 96 h)
EC50	2.14 mg/l (algae) (Esposizione 72 h)

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

Trade name: SENSO F

(Contd. of page 6)

	2.23 mg/l (daphnia) (Esposizione 48 h)
NOEC	1.48 mg/l (algae)

- **12.2 Persistence and degradability** Easily biodegradable
- **12.3 Bioaccumulative potential** Non significant accumulation in organisms
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.
- **Uncleaned packaging:**
- **Recommendation:**
Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.
- **Recommended cleansing agents:** Water.

SECTION 14: Transport information

- | | |
|---|--|
| <ul style="list-style-type: none"> · 14.1 UN-Number · ADR, ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class | Void |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: | Not applicable. |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user | Not applicable. |
| <ul style="list-style-type: none"> · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| <ul style="list-style-type: none"> · Transport/Additional information: | Not dangerous according to the above specifications. |

(Contd. on page 8)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.05.2018

Version number 1

Revision: 25.05.2018

Trade name: **SENSO F**

(Contd. of page 7)

· **UN "Model Regulation":** Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

cationic surfactants	≥15 - <30%
non-ionic surfactants	<5%

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

- **Relevant phrases**

H302 Harmful if swallowed.
 H312 Harmful in contact with skin.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.

- **Classification according to Regulation (EC) No 1272/2008**

As required by Regulation 1272/2008/CE art. 9, the classification of this compound is based on the calculation method taken from the data of the single substances therein and from the experimental data of this compound where available (viewable in sections 9, 11 and 12 in this document).

Procedure used for the classification of the mixture

Skin Irrit. 2, H315 - Calculation method

Eye Irrit. 2, H319 - Calculation method

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2